

# Praktikum 1

## Routing Statis

NO	KETERANGAN																
<b>1</b>	Buatlah Topologi dengan Packet Tracer sebagai berikut																
<b>2</b>	Berikan IP kepada Router dan PC sebagai berikut																
ROUTER0 - GIG0/0 : 10.10.10.1 255.255.255.252 ROUTER0 - GIG0/1 : 192.168.0.1 255.255.255.0 ROUTER1 - GIG0/0 : 10.10.10.2 255.255.255.252 ROUTER1 - GIG0/1 : 192.168.1.1 255.255.255.0 PC0 : 192.168.0.2 255.255.255.0, GW: 192.168.0.1 PC1 : 192.168.1.2 255.255.255.0, GW: 192.168.1.1																	
<b>3</b>	Konfigurasi Static Routing																
ROUTER0 : 192.168.1.0 255.255.255.0 10.10.10.2 ROUTER1 : 192.168.0.0 255.255.255.0 10.10.10.1																	
<b>4</b>	Tes PING dari Ujung ke Ujung, dan Pastikan Sukses																
<table border="1" style="width: 100%; border-collapse: collapse;"> <tbody> <tr> <td style="text-align: center;">Successful</td> <td style="text-align: center;">PC0</td> <td style="text-align: center;">PC1</td> <td style="text-align: center;">ICMP</td> <td style="text-align: center;"><span style="color: green;">■</span></td> <td style="text-align: center;">0.000</td> <td style="text-align: center;">N</td> <td style="text-align: center;">0</td> </tr> <tr> <td style="text-align: center;">Successful</td> <td style="text-align: center;">PC0</td> <td style="text-align: center;">PC1</td> <td style="text-align: center;">ICMP</td> <td style="text-align: center;"><span style="color: red;">■</span></td> <td style="text-align: center;">0.000</td> <td style="text-align: center;">N</td> <td style="text-align: center;">1</td> </tr> </tbody> </table>		Successful	PC0	PC1	ICMP	<span style="color: green;">■</span>	0.000	N	0	Successful	PC0	PC1	ICMP	<span style="color: red;">■</span>	0.000	N	1
Successful	PC0	PC1	ICMP	<span style="color: green;">■</span>	0.000	N	0										
Successful	PC0	PC1	ICMP	<span style="color: red;">■</span>	0.000	N	1										
<b>5</b>	Selesai																